

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	("20040160898").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 15:10
L3	0	("2004/0160898").URPN.	USPAT	ADJ	ON	2007/07/05 15:10
L4	0	370/536.clas. and (@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:13
L5	0	370/536.clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:11
L6	0	370/311.clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:11
L7	288	370/536.ccls. and (@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:13
L8	411	370/311.ccls. and (@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:13
L9	2615	370/252.ccls. and (@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:14
L10	168	370/542.ccls. and (@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:15

EAST Search History

L11	0	("2004/0160898").URPN.	USPAT	ADJ	ON	2007/07/05 15:14
L17	1192	713/320.ccls. and (@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:17
L18	781	713/322.ccls. and (@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:17
S1	11682	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same (power)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 07:41
S2	480	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5) near3 power)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 07:46
S3	70	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5) near3 power) and ("370" or "709" or "710" or "455" or "700").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 07:55
S4	262	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5) near3 power) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 09:37

EAST Search History

S5	52	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5) near3 power) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas. and packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 08:21
S6	116	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4) near3 (power or clock)) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas. and packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 09:39
S7	210	S4 not S6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 09:37
S8	79	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas. and packet not S6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 09:50

EAST Search History

S9	119	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and packet not (S6 or S8)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 17:19
S10	3	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and packet not (S6 or S8) and (nic or (network near2 interface near2 card))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 10:52
S11	2	("7032119").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 10:53
S12	59	("20020007463" "3275868" "4279020" "4316247" "4317180" "4365290" "4381552" "4398192" "4463440" "4479191" "4509148" "4510398" "4538231" "4545030" "4570219" "4667289" "4677566" "4698748" "4766567" "4780843" "4809163" "4823292" "4835681" "4841440" "4881205" "4907183" "4922450" "4963769" "4968900" "4974180" "4980836" "4991129" "4996706" "5021679" "5025387" "5041964" "5083266" "5119377" "5123107" "5129091" "5151992" "5167024" "5175845" "5201059" "5218704" "5222239" "5247164" "5247213" "5247655" "5249298" "5251320" "5396635" "5666538" "5742833" "6115823" "6324651" "6397340" "6587950").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/03 11:01

EAST Search History

S13	39	("20020007463" "3275868" "4279020" "4316247" "4317180" "4365290" "4381552" "4398192" "4463440" "4479191" "4509148" "4510398" "4538231" "4545030" "4570219" "4667289" "4677566" "4698748" "4766567" "4780843" "4809163" "4823292" "4835681" "4841440" "4881205" "4907183" "4922450" "4963769" "4968900" "4974180" "4980836" "4991129" "4996706" "5021679" "5025387" "5041964" "5083266" "5119377" "5123107" "5129091" "5151992" "5167024" "5175845" "5201059" "5218704" "5222239" "5247164" "5247213" "5247655" "5249298" "5251320" "5396635" "5666538" "5742833" "6115823" "6324651" "6397340" "6587950").PN. and (clock)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/03 10:53
S14	43	("20020007463" "3275868" "4279020" "4316247" "4317180" "4365290" "4381552" "4398192" "4463440" "4479191" "4509148" "4510398" "4538231" "4545030" "4570219" "4667289" "4677566" "4698748" "4766567" "4780843" "4809163" "4823292" "4835681" "4841440" "4881205" "4907183" "4922450" "4963769" "4968900" "4974180" "4980836" "4991129" "4996706" "5021679" "5025387" "5041964" "5083266" "5119377" "5123107" "5129091" "5151992" "5167024" "5175845" "5201059" "5218704" "5222239" "5247164" "5247213" "5247655" "5249298" "5251320" "5396635" "5666538" "5742833" "6115823" "6324651" "6397340" "6587950").PN. and ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/03 11:01

EAST Search History

S15	116	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4) near3 (power or clock)) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas. and packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 17:19
S16	79	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas. and packet not S15	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 17:19
S17	3	("6728271").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 10:14
S18	116	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4) near3 (power or clock)) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas. and packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 10:55

EAST Search History

S19	79	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas. and packet not S18	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 10:55
S20	316	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and packet not (S18 and S19)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 10:55
S21	8	("4980885" "5640398" "5666355" "5757416" "5923755" "6078783" "6236432" "6275507").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/05 11:12
S22	3879	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((no) packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 11:32
S23	2299	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((no) packet) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 11:32
S24	160	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((no) packet) with (signal or (turn off)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 11:37

EAST Search History

S25	0	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and (no packet) with (((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 11:35
S26	0	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and (no packet) with (signa or (((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 11:35
S27	56	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((no) packet) with receiv\$2 with (signal or (turn off)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 14:23
S28	0	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and 370/536.clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:06
S29	0	370/536.clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:07
S30	0	370/536.clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:07